

(For Private Circulation Only)

□ PREFACE □

Therapeutic Index

(GRANTHOKTA & PROPRIETARY)

(Only for Doctors, Vaidyas, Ayurvedic Practitioner,
Hospitals, Laboratories and Chemists)

Revised Edition
Dec. 2011



Ayurveda Rasashala®

25, Karve Road, Pune 411 004 • Tel : (020) 25440796, 25440893

Fax : (020) 25435711 • E-mail : ar.marketing@rediffmail.com

visit us at : www.ayurvedarasashala.com

“AYURVEDA”, as all of us know is a science of life. The ancient sages (Rishi and Munee) discovered different kinds of Ayurvedic medicines after continuous study, observations, experiments, reflections, trials and judgements. Ayurveda gives us this knowledge of health for all. Health care and combating disease are the two motives of Ayurveda. Use of medicines and proper behaviour are useful to fight against diseases.

Ayurveda Rasashala manufacturers Ayurvedic medicines under expert supervision as required by the science of Ayurveda. Most of the medicines are prepared according to its text book formulations (Granthokta Formulations). But some medicines are formulated by the Institute after meticulous research and laboratory testing (Proprietary Medicines).

Ayurveda Rasashala is a unit of Rashtriya Shikshan Mandal (R. S. M.) a public charitable trust and a non profit making organization. Aims of R. S. M. are education, propagation and research in Ayurveda.

Ayurveda Rasashala has received various National and International awards for its excellent quality of medicine. Some of them are,

- Arch of Europe - Gold Star
- Arch of Europe - Diamond Star
- The Best Pharmacy Award - Iname Mexico Award
- Platinum Star Award for Quality Excellence - Madrid, Spain etc.

□ INDEX □

❖ ASAVA-ARISHTA-QUATHA	❖ AVALEHA (Ghanavaleha) :
◆ ASAVA :	35) Chyavanprashavaleha _____ 17
1) Aravindasava _____ 1	36) AR Gulkand _____ 18
2) Bhallatakasava _____ 1	37) AR Raktawardhak Avaleha _____ 18
3) Chandanasava _____ 2	◆ AVALEHA - PRAVAHI (Syrup) :
4) Drakshasava (Special) _____ 2	38) Baljeevan _____ 18
5) Kanakasava _____ 3	39) Brahmiprash _____ 19
6) Kumari Asava _____ 3	40) Dadimavaleha Syrup _____ 19
7) Kumari Asava No. 3 _____ 4	41) Kantakari Kalp _____ 19
8) Kumari Kalpa _____ 4	42) Sycora Cough Syrup _____ 20
9) Lohasava _____ 5	43) Vasosin Syrup _____ 20
10) Panchakolasava _____ 5	44) Whooping Cough Mixture _____ 20
11) Prasham _____ 5	45) Wormol Syrup _____ 21
12) Punarnavasava _____ 6	◆ BHASMA :
13) Rodhrasava _____ 6	46) Abhraka Bhasma _____ 21
14) Sarivadyasava _____ 7	47) Hirak Bhasma _____ 22
15) Ushirasava _____ 8	48) Loha Bhasma _____ 22
◆ ARISHTA :	49) Suvarna Bhasma _____ 22
16) Abhayarishta _____ 8	50) Suvarna Makshik Bhasma _____ 23
17) Amrutarishta (Special) _____ 9	❖ CHOORNA :
18) Arjunarishta _____ 9	51) Ashwagandha Choorina _____ 23
19) Ashokarishta _____ 9	52) Amalaki Choorina _____ 23
20) AR Ashwagandharishta _____ 10	53) Avipattikar Choorina _____ 24
21) Dashamoolarishta _____ 10	54) Hingashtaka Choorina _____ 24
22) Khadirarishta _____ 11	55) Gandharva Haritaki _____ 24
23) Kutajarishta _____ 11	56) Rasadanti _____ 25
24) Saraswatarishta _____ 12	57) Shatavari Choorina _____ 25
25) Vidangarishta (Special) _____ 12	58) Sitopaladi Choorina _____ 25
◆ QUATHA :	59) Sukhasarak Choorina _____ 26
26) Balant Kadha No. 1 _____ 13	60) Triphala Choorina _____ 26
27) Balant Kadha No. 2 _____ 13	61) Utane Choorina _____ 26
28) Balant Kadha No. 3 _____ 14	❖ GUGGUL VATI :
29) Bhoonimbadi Quath _____ 14	62) Amrutadi Guggul _____ 27
30) Mahamanjishthadi Quath _____ 14	63) Gokshuradi Guggul _____ 27
31) Maharasnadi Quath (Special) with Guggul _____ 15	64) Kanchar Guggul _____ 27
32) Mahasudarshan Quatha (Special) _____ 16	65) Mahayograj Guggul _____ 28
33) Paripathadi Kadha _____ 16	66) Punarnava Guggul _____ 28
34) Varunadi Quatha _____ 17	67) AR Sinhnad Guggul _____ 29
	68) Triphala Guggul _____ 29
	69) Yogaraj Guggul _____ 29
	70) Panchamrut Parpati Vati _____ 30

□ INDEX □

❖ GUTI -VATI - TABLETS :	113) Triphala Tabs _____ 47
71) A. L. Tab _____ 30	114) AR Varunadi Kashay Ghanavati _____ 48
72) Amex (Amapachak Vati) _____ 31	115) Vata Vidhwansa Rasa _____ 48
73) Asanad Vati _____ 31	❖ SUVARNA YUKTA VATI :
74) Anand Bhairav (Rasa) _____ 32	116) AR Bruhatvat Chintamani Ras _____ 48
75) Arogyavardhini Vati _____ 32	117) Chintamani Chaturmukha Rasa _____ 49
76) Arsha Kuthar Rasa _____ 33	118) Fortex _____ 49
77) AR Avipattikarchurna Vati _____ 33	119) AR Gold Compound _____ 50
78) Bal Gut Vati _____ 34	120) Kumbhajatu _____ 50
79) Bhoot Bhairav Rasa _____ 34	121) Mahalakshmi Vilas Rasa _____ 50
80) Calcipral K Tablets _____ 34	122) Makardhwaja Vati _____ 51
81) Calciprite _____ 35	123) Rasaraj Rasa _____ 51
82) Chandrakala Rasa _____ 35	124) Suvarna Malini Vasant _____ 52
83) Chandraprabha Vati _____ 36	125) Suvarna Sootashekhar Matra _____ 52
84) Charcosal _____ 37	126) Suvarna Sootashekhar Vati _____ 52
85) Cozenges _____ 37	127) AR Vasant Kusumakar Rasa _____ 53
86) Ferrite _____ 37	128) Yogendra Rasa _____ 53
87) Gandhak Rasayan (Baraputi) _____ 38	❖ LEPAGOLI :
88) Garbha Pal Rasa _____ 38	129) Bavachi Lepgoli _____ 54
89) Kamadhudha (with Mouktika) _____ 39	130) Lepgoli _____ 54
90) AR Kamadudha Sadha _____ 39	❖ MALAM (Ointments) :
91) Krumimudgar Rasa _____ 39	131) Padadari Malam _____ 54
92) Kurchico (Kuda Kalpa) _____ 40	❖ SHARKARAKALPA (Granules) :
93) Kutaj Parpati Vati _____ 40	132) Shatavari Kalpa _____ 55
94) Laghusootshekhar _____ 41	❖ SIDDHA TEL (Medicated Oils) :
95) Lashunadi Vati _____ 41	133) Anu Tel _____ 55
96) Liv-Com Tablets _____ 41	134) Bala Tel _____ 55
97) Madhu Malini Vasant _____ 42	135) Chandanbalakshadi Tel (Special) _____ 56
98) Parijataka Gut _____ 42	136) Kshir Bala Tel _____ 56
99) AR Pittashamak Vati _____ 42	137) Madhavi Tel _____ 57
100) Prasham Tab _____ 43	138) AR Narayan Tel _____ 57
101) Rasagandha Vati _____ 43	139) Nirgudi Tel _____ 58
102) Sanjivani Gut _____ 43	140) Paribhadra Tel _____ 58
103) Shankha Vati _____ 44	141) Sahachar Tel _____ 58
104) Shankhabhasma Vati _____ 44	142) Vishagarbha Tel _____ 59
105) Shankhodar _____ 44	143) Vacha Tel _____ 59
106) Sookshma Triphala Vati _____ 45	144) Vranaropak Tel _____ 60
107) Sootashekhar Sadha _____ 45	145) Vranashodhak Tel _____ 60
108) Sukhasaraka Vati _____ 45	
109) Tapyadiloah Vati _____ 46	
110) T. K. Tabs. _____ 46	
111) Thiostanin _____ 47	
112) Tribhuvan Kirti _____ 48	

❖ ARVINDASAVA ❖

- A) **Reference** : Bhaishajya Ratnavali (Balaroga)
- B) **Nature of Product** : 10 ml. Self Generated Alcoholic Preparation
- C) **Ingredients** :
- | | | |
|-------------|-----------|-----------|
| Arvind | Usheer | Gambhari |
| Nilkamal | Manjishta | Ela |
| Balamool | Jatamansi | Musta |
| Sariva | Haritaki | Bibheetak |
| Vacha | Amalaki | Karchur |
| Trivrut | Kamal | Patol |
| Parpat | Arjun | Dhataki |
| Yashtimadhu | Moorva | Draksha |
| Madhu | | |
- D) **Uses & Indications** :
Improves digestion, **Enhances the strength of Rasa Rakta Majja Dhatwagni**, Burning of Palms Soles and Eyes, **Post-fever weakness**, Epistaxis, Hematuria, Malena, Insomnia, **much useful in children.**
- E) **Dosage** : 1 to 2 Teaspoon with water 2 or times a day.



❖ BHALLATAKASAVA ❖

(For Amashayodbhav Kapharoga)

- A) **Reference** : Proprietary
- B) **Nature of Product** : 10 ml. Self Generated Alcoholic Preparation
- C) **Ingredients** :
- | | | |
|------------|---------|----------|
| Bhallataka | Amalaki | Guduchi |
| Madhu | Doogdha | Haritaki |
| Lohabhasma | | |
- D) **Uses & Indications** :
Indigestion, **Painful nonbleeding piles.** Eosinophilia, Allergic Rhinitis, **Allergic conditions of upper respiratory tract.** Bronchial asthma, cough. Arthralgia of Kapha origine.
- E) **Dosage** : 2 to 4 Teaspoon with water after meal, 2 times. Contraindication - Hypersensitivity to Bhallataka

❖ CHANDANASAVA ❖

- A) **Reference** : Bhaishajya Ratnavali
- B) **Nature of Product** : 10 ml. Self Generated Alcoholic Preparation
- C) **Ingredients** :
- | | | |
|----------|-------------|------------|
| Chandan | Usheer | Musta |
| Gambhari | Nilotpal | Priyangu |
| Padmaka | Lodhra | Manjishtha |
| Wala | Patha | Bhunimba |
| Vata | Pippali | Karchur |
| Parpat | Yashtimadhu | Rasna |
| Patol | Kanchan | Amra |
| Mocharas | Draksha | |
- D) **Uses & Indications** :
Useful in Pittavikaras & Raktavikaras, **Recurrent urinary tract infections**, Burning micturition specially occurring after intercourse, **Chronic fevers of pitta type**, Best use in summer with Gulkand.
- E) **Dosage** : 2 to 4 Teaspoons with water after meal 2 times.



❖ DRAKSHASAVA (Special) ❖

- A) **Reference** : Proprietary
- B) **Nature of Product** : 10 ml. Self Generated Alcoholic Preparation
- C) **Ingredients** :
- | | | |
|------------|--------------|----------------|
| Draksha | Kankol | Maricha |
| Tamalpatra | Nagkeshar | Pippali |
| Chitraka | Chavya | Pippalimool |
| Bruhat Ela | Lavang Taila | Jatiphal Taila |
| Twak Taila | | |
- D) **Uses & Indications** :
Appetizer, **Useful in post-fever period, general debility.** Relieves constipation, Anaemia and Chronic cough. To be mixed with Luke warm water.
- E) **Dosage** : 2 to 4 Teaspoon with water twice a day.

❖ **KANAKASAVA** ❖

- A) **Reference** : Bhaishajya Ratnavali
(Hikka Swasa Chikitsa)
- B) **Nature of Product** : 10 ml. Self Generated Alcoholic Preparation
- C) **Ingredients** :
- | | | |
|-------------|----------|---------|
| Yashtimadhu | Bharangi | Shunthi |
| Nagakeshar | Draksha | Vasa |
| Kantakari | Madhu | Pippali |
| Talis | Dhattur | |
- D) **Uses & Indications** :
Rhinitis, Asthamatic bronchitis, Bronchial asthma, for productive cough.
- E) **Dosage** : 2 to 4 Teaspoon with water after meal.



❖ **KUMARI ASAVA** ❖

- A) **Reference** : Yoga Ratnakar
- B) **Nature of Product** : 10 ml. Self Generated Alcoholic Preparation
- C) **Ingredients** :
- | | | |
|--------------|---------------|-------------------|
| Haritaki | Jatamansi | Chavya |
| Chitrak | Karkatshringi | Bibheetaka |
| Erandmool | Kumari | Kababchini-Kankol |
| Lavanga | Jatiphal | Lohabhasma |
| Tamra Bhasma | Jayapatri | |
- D) **Uses & Indications** :
Hepatoprotective and Liver corrective. Useful in hepatitis and chronic hepatic disorders. Ascitis due to liver dysfunction.
It is a menstrual regulator.
- E) **Dosage** : 3 to 4 Teaspoon with water after meal.

❖ **KUMARI ASAVA NO. 3** ❖

- A) **Reference** : Proprietary
- B) **Nature of Product** : 10 ml. Self Generated Alcoholic Preparation
- C) **Ingredients** :
- | | | |
|-----------------|-------------|--------------|
| Kumari Ghanasar | Daruharidra | Karanj |
| Vacha | Vidanga | Haritaki |
| Pippali | Tejpatra | Akarkarabha |
| Nagkeshar | Maricha | Saindhav |
| Bruhat Ela | Twak Taila | Lavang Taila |
- D) **Uses & Indications** :
Recurrent cold, cough and fever especially in children.
Pain in abdomen due to digestive disorders. Anorexia, Post-fever weakness and cough. **For menstrual irregularity in menarchy age.**
- E) **Dosage** : 1/2 to 1 Teaspoon with double amount of water 2 to 3 times day.



❖ **KUMARI KALPA (Liver Compound)** ❖

- A) **Reference** : Proprietary
- B) **Nature of Product** : 10 ml. Self Generated Alcoholic Preparation
- C) **Ingredients** :
- | | | |
|-----------------|---------------|----------------|
| Kumari Ghanasar | Haritaki | Chitrak |
| Chavya | Karkatshringi | Bibheetak |
| Erandmool | Vasa | Punarnava |
| Kantakari | Katuka | Guduchi |
| Dashamool | Gokshur | Nava Sagar |
| Lavanga Taila | Twak Taila | Jatiphal Taila |
- D) **Uses & Indications** :
Made from Kumari Ghan (Kala Bol), used in Gynaecological problems like **Amenorrhoea, dysmenorrhoea, scanty menses, liver corrective,** bronchitis, **chronic cough.**
- E) **Dosage** : 2 to 4 Teaspoon after meal with water.

❖ LOHASAVA ❖

- A) **Reference** : Bharat Bha. Ratnakar
B) **Nature of Product** : 10 ml. Self Generated Alcoholic Preparation
C) **Ingredients** :
Trikatu Triphala Ajmoda
Vidanga Musta Chitrak
Lohabhasma Madhu
- D) **Uses & Indications** :
Improves digestion, Anaemia, Hepato splenomegaly due to anaemia.
Useful haematinic in Diabetic patients, medoroga and obesity.
- E) **Dosage** : 2 to 4 Teaspoons with water 2 times after meals.

❖ PANCHAKOLASAVA ❖

- A) **Reference** : Proprietary
B) **Nature of Product** : 10 ml. Self Generated Alcoholic Preparation
C) **Ingredients** :
Pippali Pippalimool Chavya
Chitrak Shunthi Draksha
- D) **Uses & Indications** :
Appetizer and digestive, Intestinal colic, Abdominal distension,
Chronic Rheumatic conditions, Chronic kaphaja diseases.
- E) **Dosage** : 2 to 4 Teapoons with water after meal 2 times.

❖ PRASHAM ❖

- A) **Reference** : Proprietary
B) **Nature of Product** : 10 ml. Self Generated Alcoholic Preparation
C) **Ingredients** :
Vacha Pippalimool Tagar Sarpagandha
Jatamansi Parasic Yavani Bramhi
Draksha Ashwagandha Shankhapushpi

(5)

- D) **Uses & Indications** :
Anxiolytic and Tranquillizer, Induces natural sound sleep.
No addiction or Hangover. **Supportive medicine in hypertension**,
memory enhancer.
- E) **Dosage** : 2 to 4 Teaspoon after meal with water.

❖ PUNARNAVASAVA ❖

- A) **Reference** : Baishajya Ratnavali (Shothadhikar)
B) **Nature of Product** : 10 ml. Self Generated Alcoholic Preparation
C) **Ingredients** :
Punarnava Shunthi Maricha
Pippali Haritaki Bibheetak
Amalaki Daruharidra Gokshur
Kantakari Bruhati Vasa
Erandmool Katuka Gajapippali
Nimb twak Guduchi Dhanvayas
Patol Moolak Draksha
- D) **Uses & Indications** :
Hrudrog, Shotha, Pandu, Shwas, Kasa, Congestive Cardiac Failure,
All Type of Nephropathy, Constipation, Deep Jaundice, Peripheral
Arthritis with Oedem, Pleehawikara (Disorder of Spleen), Prashasti
- If taken with Mansarasa as ahar, it increase Varha (Complexion),
Ayu (Age), Bala (Strength) and Oja (Immunity).
- E) **Dosage** : 2 to 4 Teapoons with water after meal 2 times.

❖ RODHRASAVA ❖

- A) **Reference** : Bharat Bha. Ratnakar
B) **Nature of Product** : 10 ml. Self Generated Alcoholic Preparation
C) **Ingredients** :
Lodhra Karchur Eranda
Ela Moorva Vidanga
Haritaki Bibheetak Amalaki
Ajamoda Chavya Priyangu

(6)

Pooga	Indravaruni	Bhunimba
Katuka	Bharangi	Tagar
Pippalimool	Chitrak	Kushtha
Ativisha	Patha	Indrayava
Nagkeshar	Kutaj	Lavanga
Tamlpatra	Maricha	Musta
Madhu		

D) Uses & Indications :

Useful in different Yonidoshas like Leucorrhoea, Pruritus Vulvae, Atyartava (metrorrhagia), Kledanashaka and therefore used in **Diabetes mellitus and related skin diseases** also. Medoroga, Bleeding piles.

E) Dosage : 2 to 4 Teaspoons 2 times with water after food/meal.



◆ SARIVADYASAVA ◆

(Raktashodak, Raktaprasadak, Blood Purifier)

A) Reference : Bharat Bhaishajya Ratnakar No. 7438 (Pramehapidikadhikar)

B) Nature of Product : 10 ml. Self Generated Alcoholic Preparation

C) Ingredients :

Sariva	Musta	Lodhra
Vat	Ashwatha	Karchur
Anantmool	Padmaka	Patha
Amalaki	Guduchi	Ajamoda
Katuka	Kushtha (Kulanjan)	Markandika
Haritaki	Draksha	Usheer
Sookshma Ela	Bruhatela	

D) Uses & Indications :

Increases celluer components of blood especially blood platelets. Best Immunomodullatory action. Pittaj Jwaras e.g. Dengue fever. Tendency to Diabetic carbuncles. Different skin diseases with buring sensation.

E) Dosage : 4 to 6 Teaspoon 3 to 4 times a day.

◆ USHIRASAVA ◆

A) Reference : Bhaishajya Ratnavali (Raktapitta)

B) Nature of Products : 10 ml. Self Generated Alcoholic Preparation

C) Ingredients :

Usheer	Balak	Kamal Swet
Gambhari	Nilotpal	Priyangu
Padmaka	Manjishtha	Lodhra
Dhanvayasa	Patha	Bhunimba
Vat	Udumbar	Karchur
Parpat	Kamal Rakta	Patol
Kanchan	Jambu	Mocharas
Draksha	Madhu	

D) Uses & Indications :

Antipyretic in Pitta predominant fever, Recurrent urinary tract infections with burning micturition and haematuria. Excessive thirst, profuse sweating with bad odour. **Kapha-pitta pradhan skin diseases.**

E) Dosage : 2 to 4 Teapoons with water after meal.



◆ ABHAYARISHTA ◆

A) Reference : Bhaishajya Ratnavali (Arsharogadhikar)

B) Nature of Product : 10 ml. Self Generated Alcoholic Preparation

C) Ingredients :

Haritaki	Vidanga	Gokshur
Indravaruni	Chavya	Trivrutta
Yashtimadhu	Danti	Draksha
Dhanyaka	Mocharas	Shunthi

D) Uses & Indications :

Tympanitis, Flatulence, Constipation and Piles. Improves appetite.

E) Dosage : 2 to 4 Teaspoons 2 times with water after meal.

❖ **AMRUTARISHTA (SPL)** ❖

- A) **Reference** : Proprietary
B) **Nature of Product** : 10 ml. Self Generated Alcoholic Preparation
C) **Ingredients** :
Guduchi Dashamool Saptaparni
Parpat Indrayava Musta
Maricha Ativisha Nagkeshar
Trikatu
D) **Uses & Indications** :
Useful in all types of **Chronic fevers**. In viral fevers, chickengunya. **Chronic Rheumatic conditions**.
E) **Dosage** : 2 to 4 Teaspoon 2 times with water after meal.



❖ **ARJUNARISHTA** ❖

- A) **Reference** : Bhaishajya Ratnavali (Hridrogadhikar)
B) **Nature of Product** : 10 ml. Self Generated Alcoholic Preparation
C) **Ingredients** :
Arjun Dhataki Draksha
D) **Uses & Indications** :
Cardiotonic, improves strength of the heart, **Gives strength to cardiac muscles**. Useful in **C. C. F. with Punarnavasava**.
E) **Dosage** : 2 to 4 Teaspoons with water 2 times after meal.



❖ **ASHOKARISHTA** ❖

- A) **Reference** : Bhaishajya Ratnavali (Strirogadhikar)
B) **Nature of Product** : 10 ml. Self Generated Alcoholic Preparation
C) **Ingredients** :
Ashoka Daruharidra Nilotpal
Triphala Amrabeej Vasa
Jirakdwaya Musta Shunthi
Wala

- D) **Uses & Indications** :
Dysfunctional uterine bleeding, leucorrhoea, excessive watery vaginal discharge.
E) **Dosage** : 2 to 4 Teaspoons with water 2 times after meal.



❖ **A. R. ASHWAGANDHARISHTA** ❖

(Muscle Toner Aphrodisiac)

- A) **Reference** : Proprietary
B) **Nature of Product** : 10 ml. Self Generated Alcoholic Preparation
C) **Ingredients** :
Ashwagandha Manjishtha Haritaki
Haridra Daruharidra Yashtimadhu
Rasna Vidari Arjun
Trivruta Anantamool Wala
Chitrak Musta Vacha
Shunthi Maricha Pippali
Tamalpatra Nagkeshar Bruha Tela
Twak Taila
D) **Uses & Indications** :
General debility, Fatigue, **Nervous debility, For vigour and vitality.**
E) **Dosage** : 2 to 4 Teaspoons 2 times with water after meal.



❖ **DASHAMOOLARISHTA** ❖

- A) **Reference** : Proprietary
B) **Nature of Product** : 10 ml. Self Generated Alcoholic Preparation
C) **Ingredients** :
Shaliparni Prishniparni Kantakari
Bruhati Gokshur Bilva
Agnimantha Patala Gambhari
Tintuk Dhataki Draksha
Koshtha Pippali Jatamansi
Musta

- D) Uses & Indications :**
Vatvikar, Nervous Diseases, Hrudayavikar - Heart Diseases, Chest Diseases, Sprue, Anorexia, Colitis
- E) Dosage :** 2 to 4 Teaspoon with water 2 times after meal.



◆ **KHADIRARISHTA** ◆

- A) Reference :** Bharat Bhaishajya Ratnakar 1096
- B) Nature of Product :** 10 ml. Self Generated Alcoholic Preparation
- C) Ingredients :**
- | | | |
|-------------|---------|--------------|
| Khadir | Deodaru | Triphala |
| Daruharidra | Bakuchi | Madhu |
| Kankol | Lavanga | Sookshma ela |
| Jatiphal | Twak | Nagkeshar |
| Tamalpatra | Maricha | Pippali |
- D) Uses & Indications :**
Obstinate Skin Diseases, Anaemia, Heart Disease, Cough, Worms, Abdominal and other Tumours, Splenomegaly, Over Weight.
- E) Dosage :** 2 to 4 Teaspoons with water 2 times after meal.



◆ **KUTAJARISHTA** ◆

- A) Reference :** Bhaishajya Ratnavali (Atisaradhikar)
- B) Nature of Product :** 10 ml. Self Generated Alcoholic Preparation
- C) Ingredients :**
- | | | |
|---------|---------|----------|
| Kutaj | Dhataki | Gambhari |
| Draksha | | |
- D) Uses & Indications :**
Diarrhoea, Dysentery, Colitis, Bleeding Piles with discharge of mucus.
- E) Dosage :** 2 to 4 Teaspoons with water after meals 2 times.

◆ **SARASWATARISHTA** ◆

- A) Reference :** Proprietary
- B) Nature of Product :** 10 ml. Self Generated Alcoholic Preparation
- C) Ingredients :**
- | | | |
|------------|----------------|--------------|
| Brahmi | Shatavari | Vidari |
| Haritaki | Mishreya | Ashwagandha |
| Vidanga | Guduchi | Bibheetaka |
| Renuk | Trivruta | Koshtha |
| Pippali | Vacha | Bruhatela |
| Usheer | Shunthi | Lavang Taila |
| Twak Taila | Mishreya Taila | |
- D) Uses & Indications :**
Effective in loss of memory. Improves mind body co-ordination and intellectual power. Improves function of special senses. Useful in Psychological erectile dysfunction. **Hysteria, Schizophrenia, Insomnia, Epilepsy.**
- E) Dosage :** 2 to 4 Teaspoon with water 2 times after meal.



◆ **VIDANGARISHTA (Special)** ◆

- A) Reference :** Proprietary
- B) Nature of Product :** 10 ml. Self Generated Alcoholic Preparation
- C) Ingredients :**
- | | | |
|-----------|-------------|-----------|
| Vidanga | Pippalimool | Rasna |
| Kutaj | Indrayava | Paripatha |
| Amalaki | Shunthi | Maricha |
| Pippali | Tamalpatra | Bruhatela |
| Twak Tail | | |
- D) Uses & Indications :**
Appetizer and digestive to prevent recurrent worm infestation. Leucoderma, Alopecia.
- E) Dosage :** 2 to 4 Teaspoon with water 2 times after meal.

❖ **BALANT KADHA NO. 1** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 10 ml. Self Generated Alcoholic Preparation
 C) **Ingredients** :
 Shaliparni Prushniparni Kantakari
 Bruhati Gokshur Bilva
 Agnimantha Patala Tintuk
 Gambhari Draksha Dhataki
 Koshtha Pippali Jatamansi
 Musta
 D) **Uses & Indications** :
Useful to palliate VATA and for proper involution of uterus after delivery, Helps to avoid puerperal fever, lower abdominal pain, wound infection, puerperal sepsis. To be given for first 10 days of delivery for GARBHASHAY SHUDDHI.
 E) **Dosage** : 2 to 4 Teaspoon with water 2 times after meal.

❖ **BALANT KADHA NO. 2** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 10 ml. Self Generated Alcoholic Preparation
 C) **Ingredients** :
 Deodaru Vasa Indrayava
 Danti Manjishtha Haridra
 Daruharidra Rasna Musta
 Vidanga Khadir Guduchi
 Chitrak Ajamoda Katuka
 Shirish Tagar Wala
 Tamalpatra Pippali Nagkeshar
 Bruhatela Twaktail
 D) **Uses & Indications** :
To be given in puerperal period from 10th day to 30th day. Helps to improve appetite, digestion. Facilitates lactation (STANYASHODHAK).
 E) **Dosage** : 2 to 4 Teaspoon with water 2 times after meal.

❖ **BALANT KADHA NO. 3** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 10 ml. Asava
 C) **Ingredients** :
 Lohasava AR Ashwagandharista Arjunarishta
 D) **Uses & Indications** :
Best tonic during puerperal period from 31st day to 90th days, It tones up, Helps to regain reproductive function vigour and vitality.
 E) **Dosage** : 2 to 4 Teaspoon with water 2 times after meal.

❖ **BHOONIMBADI QUATH** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 10 ml. Self Generated Alcoholic Preparation
 C) **Ingredients** :
 Bhoonimba Nimb Haritaki
 Bibheetaka Amalaki Patol
 Vasa Guduchi Parpat
 Bhrungaraj
 D) **Uses & Indications** :
Hyperacidity, Acid reflux therefore in heart burns, Indigestion in Hyperacidity patients, Skin rashes due to Hyperacidity.
 E) **Dosage** : 2 to 4 Teaspoon with water 2 times after meal.

❖ **MAHAMANJISHTHADI QUATH** ❖

- A) **Reference** : Bharat Bhaishajya Ratnakar 4979
 B) **Nature of Product** : 10 ml. Self Generated Alcoholic Preparation
 C) **Ingredients** :
 Manjishtha Nimb Vasa
 Triphala Chitrak Haridra
 Darvi Guduchi Bhoonimba

Wala	Khadir	Katuka
Bakuchi	Aragwadha	Moorva
Danti	Indravaruni	Vidanga
Jatamansi	Trayamana	Patha
Trivrutta	Anantamool	Patol
Maricha	Pippali	

D) Uses & Indications :

Useful in various blood disorders and blood vascular diseases, **Skin diseases like Acne, Dermatitis, Eczema, Recurrent Erysipelas, Boils, Leucoderma.**

E) Dosage : 2 to 4 Teaspoon with water 2 times after meal.



◆ MAHARASNADI QUATH (Special with Guggul) ◆

A) Reference : Proprietary
B) Nature of Product : 10 ml. Self Generated Alcoholic Preparation

C) Ingredients :

Rasna	Duralabha	Bala
Erandmool	Karchur	Vasa
Haritaki	Chavya	Punarnava
Guduchi	Vruddhadaruk	Mishreya
Gokshur	Ashwagandha	Shatavari
Kurantaka	Dhanyaka	Kantakari
Bruhathi	Deodaru	Vacha
Shunthi	Musta	Pippali
Guggul		

D) Uses & Indications :

Vata diseases in association with Kapha and Ama, Rheumatism, Polyaryhritis, frozen shoulder. Post-viral arthralgia (joint pain).

E) Dosage : 2 to 4 Teaspoon with water 2 times after meal.

◆ MAHASUDARSHAN QUATH (Special) ◆

A) Reference : Proprietary
B) Nature of Product : 10 ml. Self Generated Alcoholic Preparation

C) Ingredients :

Triphala	Trikatu	Haridra
Kantakari	Guduchi	Dhanvayas
Vidanga	Katuka	Parpat
Nimb	Yashtimadhu	Kutaja
Chitrak	Ativisha	Bhunimba
Musta	Usheer	Vacha
Deodaru		

D) Uses & Indications :

Common cold, cough, fever with chills. Chronic fevers, Amapachak therefore useful in ama-related joint pains. In early stages of different viral fevers. In chickengunya with Maharasnadi Quath.

E) Dosage : 2 to 4 Teaspoon with water 2 times after meal.



◆ PARIPATHADI KADHA (Special) ◆

A) Reference : Proprietary
B) Nature of Products : 10 ml. Self Generated Alcoholic Preparation

C) Ingredients :

Paripatha	Indrayava	Bhunimba
Parpat	Guduchi	Shunthi
Musta		

D) Uses & Indications :

During and after measles, chickenpox and other eruptive fevers. Allergic rash. Recurrent boils and folliculitis.

E) Dosage : 2 to 4 Teaspoon with water after meal.

❖ **VARUNADI QUATH** ❖
(Best for Urinary Calculi, Lithotriptic)

- A) **Reference** : Bharat Bhaishajya Ratnakar No. 6490
 B) **Nature of Products** : 10 ml. Self Generated Alcoholic Preparation
 C) **Ingredients** :
 Varun Pashanbheda Shunthi
 Gokshur
 D) **Uses & Indications** :
 Burning micturition, **Crystalluria, Chronic cystitis, Breaks and expells passable urinary calculi**, helps in B. P. H. **Obesity**.
 E) **Dosage** : 2 to 4 Teaspoon with water after meal.

❖ **CHYAVANPRASHVALEHA** ❖
(with 40 Genuine Ingredients)

- A) **Reference** : Ayurveda Sar Sangraha
 B) **Nature of Product** : 5 gms. Avaleha
 C) **Ingredients** :
 Bel Airan Tetu
 Shivan Padal Mudgaparni
 Mashaparni Pimpali Salvan
 Pithavan Gokharu Kantakari
 Dorli Kakadsingi Bhuiawali
 Manuka Jivanti Eranda
 Dalchini Gulvel Haritaki
 Bala Shatavari Kachora
 Musta Punarnava Velachi
 Kamal Wala Adulasa
 Ashwagandha Kaknasa Vidari Kanda
 Awala Ghee Vanshalochan
 Tamalpatra Nagakeshar
 D) **Uses & Indications** :
 Rasayan - **The best rejuvenating preparation for longevity, strength and vigour**. Promotes immune system. **Nurishing food supplement for all kinds of weakness and useful for all age groups**. It help to prevent recurrent respiratory problems.
 E) **Dosage** : 1 Teaspoon 1 to 2 times with milk or water.

(17)

❖ **A. R. GULKAND** (Summer Tonic) ❖
(Cooling Tonic for Summer Season)

- A) **Reference** : Proprietary
 B) **Nature of Product** : 5 gm. Avaleha
 C) **Ingredients** :
 Guduchi Satwa Gulabpatra Pravalpishti
 Sharkara
 D) **Uses & Indications** :
 Reduces heat in the body, **very much useful after measles, chickenpox, mumps and other eruptive fevers**. Best for Pitta-Prakriti individuals.
 E) **Dosage** : 1 Teaspoon 1 to 2 times with milk or water.

❖ **A. R. RAKTAVARDHAK AVALEHA** ❖
(Fortified with Shilajeet, Roupya, Vangabhasma, Chyavanprash)

- A) **Reference** : Proprietary
 B) **Nature of Product** : 5 gm. Avaleha
 C) **Ingredients** :
 Triphala Trikatu Chitrak
 Suvarnamakshik Bhasma Lohabhasma Shuddha Shilajeet
 Vidanga Ashwagandha Yashtimadhu
 Shatavari Vidarikanda Roupya Bhasma
 Vanga Bhasma Base Chyavanprashavaleha
 D) **Uses & Indications** :
 Anemia, Convalescece, General Debility, Also for vigor, vitality, **The best - immunomodulator & Nevine Tonic. Safe in Pregnancy**.
 E) **Dosage** : 1 Teaspoon twice a day with milk.

❖ **BALJEVAN SYRUP** ❖
(for Healthy Child)

- A) **Reference** : Proprietary
 B) **Nature of Product** : 10 ml. Syrup
 C) **Ingredients** :
 Shatavari Shatapatrika Amalaki
 Pippali Pippalimool Ashwagandha
 Vacha

(18)

- D) **Uses & Indications :**
Pediatric tonic for balanced growth and development of tissues, organs and systems. Appetizer and digestive. **General Nervine tonic for Pediatric and Geriatric group also.**
- E) **Dosage :** 1/2 to 1 Teaspoon 3 to 4 times.

❖❖❖❖❖❖

❖ BRAHMI PRASH SYRUP ❖

- A) **Reference :** Proprietary
- B) **Nature of Product :** 10 ml. Syrup
- C) **Ingredients :**
Brahmi Vacha
- D) **Uses & Indications :**
Useful in stress induced mental fatigue, useful in hyperactive children, improves concentration grasping power. Memory and Intellegence. Specially useful in school going children.
- E) **Dosage :** 1 to 2 Teaspoon 2 to 3 times in a day with water or milk.

❖❖❖❖❖❖

❖ DADIMAVALEHA ❖

- A) **Reference :** Proprietary
- B) **Nature of Product :** 10 ml. Syrup
- C) **Ingredients :**
Dadimarka Sugar Base
- D) **Uses & Indications :**
Chronic Acidity, Nausea, Irritable bowel syndrome (IBS).
- E) **Dosage :** 1 to 2 Teaspoon 3 to 4 times with water.

❖❖❖❖❖❖

❖ KANTAKARI KALPA ❖

- A) **Reference :** Proprietary
- B) **Nature of Product :** 10 ml. Syrup
- C) **Ingredients :**
Kantakari Vacha
- D) **Uses & Indications :**
Recurrent Pharyngitis, Brochitis, Laryngitis and Cough.
- E) **Dosage :** 1 to 2 Teaspoon 3 to 4 times with water.

❖ SYCORA COUGH SYRUP ❖

(Expectrant)

- A) **Reference :** Proprietary
- B) **Nature of Product :** 10 ml. Syrup
- C) **Ingredients :**
Pippali Dadim Parisha
Vasa Kantakari Yashtimadhu
Dalchini Tel
- D) **Uses & Indications :**
Bronchitis and Bronchiolitis. Specially useful in children and delicate patients.
- E) **Dosage :** 1/2 to 1 Teaspoon 3 to 4 times.

❖❖❖❖❖❖

❖ VASOSIN SYRUP ❖

(Totaly Herbal)

- A) **Reference :** Proprietary
- B) **Nature of Product :** 10 ml. Syrup
- C) **Ingredients :**
Vasa Kantakari Yashthimadhu
Dadimatwak Pippali Twak Tail
- D) **Uses & Indications :**
Effective Herbal Expectorent. Bronchitis, Bronchiectasis, Emphysema, Productive cough, more palatable and therefore liked by children.
- E) **Dosage :** 1 to 2 Teaspoon 4 times a day with warm water.

❖❖❖❖❖❖

❖ WHOOPING COUGH MIXTURE ❖

- A) **Reference :** Proprietary
- B) **Nature of Product :** 10 ml. Syrup
- C) **Ingredients :**
Bakul Vacha Yashtimadhu
Karchoor Kantakari Pareesh

- D) **Uses & Indications** :
Spasmodic cough with Bronchospasm-causing breathlessness, viscid mucus. Advised in whooping and that type of cough.
- E) **Dosage** : 1/2 to 1 Teaspoon twice or thrice a day with water.

❖❖❖❖❖❖

❖ WORMOL (Krumihar) SYRUP ❖

(For Worms)

- A) **Reference** : Proprietary
- B) **Nature of Product** : 10 ml. Syrup
- C) **Ingredients** :
- | | | |
|------------|------------|----------|
| Shigrubeej | Palashbeej | Tulasi |
| Vidanga | Kirmani | Ajawayan |
- D) **Uses & Indications** :
For round and thread worms infestation. Helps to expell the worms from the gut. Worms related anorexia, anaemia, itching of the skin.
- E) **Dosage** : 1 Teaspoon 3 times with water.

❖❖❖❖❖❖

❖ ABHRAK BHASMA (Nishchandra) ❖

- A) **Reference** : Siddhayogasangraha
- B) **Nature of Product** : 125 mg. Bhasma
- C) **Ingredients** :
- Krishna Abhraka Bhasma
Processed with Gomutra, Triphala, Godugdha,
Guduchi, Palandu, Arka, Vasa
- D) **Uses & Indications** :
Sapta-dhatu Rasayan, **Cardio-respiratory tonic**. Diseases of sensory motor nervous system. Useful in problems related to speech. Improves Intellegence.
- E) **Dosage** : 125 mg. to 250 mg. two times with honey.

❖ HIRAK BHASMA ❖

- A) **Reference** : Proprietary
- B) **Nature of Product** : 100 mg. Bhasma
- C) **Ingredients** :
Hirak Bhasma Processed with Gulabjal & Kumari
- D) **Uses & Indications** :
Increases vigour and vitality. Best Rejuvenator and Aphrodisiac.
Useful in Arbuda, Kampavat.
- E) **Dosage** : 25 mg. 1 to 2 times with milk, honey.

❖❖❖❖❖❖

❖ LOHA BHASMA ❖

- A) **Reference** : Rasamrut
- B) **Nature of Product** : 125 mg. Bhasma
- C) **Ingredients** :
Loha Bhasma
Processed with Triphala, Kumari, Gomutra,
Punarnava, Hingool, Arkadugdha
- D) **Uses & Indications** :
Corrects function of Liver and Spleen. Gives strength to blood and other body tissues. Anti Anaemic in general and **in obese patients in particular.**
- E) **Dosage** : 125 to 250 mg. 2 to 3 times with milk or ghee and sugar.

❖❖❖❖❖❖

❖ SUVARNA BHASMA ❖

- A) **Reference** : Proprietary
- B) **Nature of Product** : 125 mg. Bhasma
- C) **Ingredients** :
Suvarna Bhasma
Processed with Shuddha Parad, Gandhak, Makshik
- D) **Uses & Indications** :
Rejuvenates and strengthens immune system. **Acts best on Heart, Nervous system and Genital system.** Useful in various degenerative disorders. Improves memory and intellegence. Useful in various chronic diseases of Heart, Brain, Psyche. **The best Aphrodisiac.** Antidotal to poison.
- E) **Dosage** : 62.5 mg. to 125 mg. 1 to 2 times with milk, honey or ghee.

❖ SUVARNA MAKSHIK BHASMA ❖

- A) **Reference** : Rasamrut
B) **Nature of Product** : 125 mg. Bhasma
C) **Ingredients** :
Suvarna Makshik Bhasma 125 mg.
Processed with Shu. Gandhak, Nimbuk, Kumari and Saindhav
D) **Uses & Indications** :
Diseases Due to Aggravation of Pitta, Anaemia. Cooling, Antidote to Poison, Aphrodisiac, Rasayan (Tissue Rejuvenator), Useful for Eyesight.
E) **Dosage** : 125 mg. to 250 mg. 2 to 3 times with honey or milk

❖ ASHWAGANDHA CHOORNA ❖

- A) **Reference** : Bhavaprakasha Nighantu
B) **Nature of Product** : Powder
C) **Ingredients** :
D) **Uses & Indications** :
Rejuvenates tissues, increases muscle power and strength, **very well known Aphrodisiac**. Gives vigour and vital power. Brings about **Qualitative and quantitative improvement in the sperm count**. Increases mental strength. **For sleeplessness given along with milk**.
E) **Dosage** : 1 gm. 2 times with water or milk.

❖ AMALAKI CHOORNA ❖

(Contains thermostable vitamin)

- A) **Reference** : Bhavaprakasha Nighantu
B) **Nature of Product** : Powder
C) **Ingredients** :
D) **Uses & Indications** :
For **longevity**, Vitality and Strength. The best rasayan dravya.
E) **Dosage** : 1 gm. 2 times with water.

❖ AVIPATTIKAR CHOORNA ❖

(Pitta Virechak)

- A) **Reference** : Bhaishajya Ratnavali (Amlapitta)
B) **Nature of Product** : 1 gm. Powder
C) **Ingredients** :
Shunthi Maricha Pippali
Haritaki Bibheetak Amalaki
Musta Bidam Vidanga
Ela Tamalpatra Lavanga
Trivruta Sharkara
D) **Uses & Indications** :
The best anulomak (laxative) in Hyperacidity patient. Helps to prevent nausea, vomiting, heart-burns, regurgitation of acid mixed food. **Headache and constipation in Hyperacidity patients**.
E) **Dosage** : 1/2 to 1 Teaspoon 2 to 3 times with water before meal.

❖ HINGASHTAK CHOORNA ❖

- A) **Reference** : Yogaratnakar
B) **Nature of Product** : 1 gm. Powder
C) **Ingredients** :
Shunthi Maricha Pippali
Ajamoda Saindhav Jiraka
Krishnajirak Hingu
D) **Uses & Indications** :
Indigestion, Anorexia. Abdominal distention because of gases. Bad taste and smell of mouth due to indigestion, constipation.
E) **Dosage** : 1/2 to 1 Teaspoon before meal with ghee or warm water.

❖ GANDHARVA HARITAKI CHOORNA ❖

- A) **Reference** : Proprietary
B) **Nature of Product** : 1 gm. Powder
C) **Ingredients** :
Haritaki Erandsneha
D) **Uses & Indications** :
Constipation, Useful laxative in patients with piles, **Also during postoperative period of Anorectal surgeries**.
E) **Dosage** : 1 to 2 Teaspoon with warm water at bed time.

❖ RASADANTI CHOORNA ❖

- A) **Reference** : Proprietary
B) **Nature of Product** : 1 gm. Powder
C) **Ingredients** :
Babbul Bakul Khadir
Haritaki Amalaki Saindhav
Yashimadhu Tuwari Lavanga Tail
Pudinark
- D) **Uses & Indications** :
Strengthens gums, prevents gingivitis, dental caries and tartar formation. Used in bad oral hygiene and bad breathe. **To be gently massaged to gums and wait before gargling.**
- E) **Dosage** : 1/2 to 1 Teaspoon for rubbing on teeth and massage for gums daily. Also useful for gargle.



❖ SHATAVARI CHOORNA ❖

- A) **Reference** : Bhavaprakasha Nighantu
B) **Nature of Product** : 1 gm. Powder
C) **Ingredients** :
D) **Uses & Indications** :
Galactagogue, spermatogenic. Neuromuscular tonic. Nurishes senses and promotes intellect.
E) **Dosage** : 1 gm. 2 times with milk or water.



❖ SITOPALADI CHOORNA ❖

- A) **Reference** : Sharangdhar Samhita
B) **Nature of Product** : 1 gm. Powder
C) **Ingredients** :
Sharkara Pippali Twak
Vanshalochan Ela
- D) **Uses & Indications** :
Cold, Cough, Bronchitis, Chronic sinusitis. **Best given along with T. K. Tabs.**
- E) **Dosage** : 1/2 to 1 Teaspoon with honey.

❖ SUKHASARAK CHOORNA ❖

- A) **Reference** : Proprietary
B) **Nature of Product** : 1 gm. Powder
C) **Ingredients** :
Markandika Vidanga Shunthi
Haritaki Ajmoda Krishanalavan
Amalaki Yashtimadhu
- D) **Uses & Indications** :
Mild laxative. Useful in Chronic constipation. Gives relief from gases and acidity.
- E) **Dosage** : 1/2 to 1 Teaspoon with warm water at bed time.



❖ TRIPHALA CHOORNA ❖

- A) **Reference** : Bhavaprakasha Nighantu
B) **Nature of Product** : 1.5 gm. Powder
C) **Ingredients** :
Haritaki Bibheetak Amalaki
- D) **Uses & Indication** :
Mild laxative, Responsible for strengthening of eye in respect of eyesight, after ophthalmic diseases given with pure ghee and honey. **Helps to promote detoxication of blood and helps to ease skin diseases.**
- E) **Dosage** : 2 to 3 gm. Powder with warm water, honey or ghee at bed time.



❖ A. R. UTANE CHOORNA (CHANDANYUKTA) ❖

- A) **Reference** : Proprietary
B) **Nature of Product** : 1 gm. Powder
C) **Ingredients** :
Shathi Karchur Usheer
Musta Chandan
- D) **Uses & Indications** :
As pure natural pleasant smelling face wash and powder massage. Apply it to whole body mixed with Madhavi Tail sometime before daily bath. It prevents excess sweating and bad body odour.
- E) **Dosage** : Apply Externally on Skin 1 to 2 spoon or as equired.

❖ **AMRUTADI GUGGUL** ❖

- A) **Reference** : Yoga Ratnakar
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Guduchi Patol Shunthi
 Maricha Pippali Haritaki
 Bibheetak Amalaki Vidanga
 Guggul
 D) **Uses & Indications** :
Painful polyarthritis, Backache, Peripheral arterial insufficiency, Amavat, Acne.
 E) **Dosage** : 2 to 3 Tablets 2 to 3 times in a day with warm water.



❖ **GOKSHURADI GUGGUL** ❖

- A) **Reference** : Sharangadhar Samhita
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Gokshur Guggul Shunthi
 Pippali Haritaki Maricha
 Bibheetak Amalaki Musta
 D) **Uses & Indications** :
 Useful adjuvant in **Motrashmari** Chikitsa and other Urinary Disorders. Diuretic Action.
 E) **Dosage** : 2 to 3 Tablet 2 to 3 Times in a day with warm water.



❖ **KANCHANAR GUGGUL** ❖

- A) **Reference** : Sharangadhar Samhita
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Kanchanartwak Haritaki Amalaki
 Bibheetka Shunthi Maricha
 Pippali Varun Twak
 Ela Tamalpatra Guggul
 D) **Uses & Indications** :
 Acts on Lymphatic system. Lymphadenopathy. Lipoma, Benign tumours.
 E) **Dosage** : 2 to 3 Tablets 2 to 3 times with warm water.

❖ **MAHAYOGARAJ GUGGUL** ❖

- A) **Reference** : Sharangadhar Samhita
 B) **Nature of Product** : 125 mg. Tablets
 C) **Ingredients** :
 Shunthi Chavya Pippalimool
 Krishnajiraka Ajmoda Renuka
 Indrayava Gajapipali Ativisha
 Vacha Vangabhasma Roupyabhasma
 Mandoorbhasma Rasasindoor Guggul
 Pippali Chitrak Jirak
 Hingu Swet Sarshapa Patha
 Vidanga Katuka Bharangi
 Moorva Nagabhasma Abhrakbhasma
 Lohabhasma Triphala
 D) **Uses & Indications** :
 Rejuvenating medicine. Useful in **degenerative Neuro-Musculo-Skeletal disorders**. Arthritis, Kampavat, **Parkinson like conditions**.
 E) **Dosage** : 1 to 2 Tablets 2 to 3 times in day with warm water.



❖ **PUNARNAVA GUGGUL** ❖

- A) **Reference** : Bharat Bhaishajya Ratnakar
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Punarnava Devadaru Guduchi
 Haritaki Shuddha Guggul
 Processed in Punarnava Quath
 D) **Uses & Indications** :
 Oozing type of skin diseases, **Wet eczema**, Excessive slimy salivation, **Arthritis with oedema**, Urdhwajatrugat kaphaj roga.
 E) **Dosage** : 2 to 3 Tablets 2 to 3 times in a day with warm water.

❖ **A. R. SINHNAD GUGGUL** ❖

- A) **Reference** : Bharat Bhaishajya Ratnakar No. 7923
 B) **Nature of Product** : 110 mg. Tablets
 C) **Ingredients** :
 Triphala **Shuddha Guggul**
 Shuddha Gandhak **Guggul Erandasneha**
 D) **Uses & Indications** :
 Rheumatic Arthritis predominantly with restricted movements and swelling, psoriatic arthritis.
 E) **Dosage** : 2 to 3 Tablets 2 to 3 times in a day with warm water.

❖ **TRIPHALA GUGGUAL** ❖

- A) **Reference** : Sharangdhar Samhita
 B) **Nature of Product** : 259 mg. Tablets
 C) **Ingredients** :
 Haritaki Bibheetaka Amalaki
 Pippali Shuddha Guggul
 D) **Uses & Indications** :
 Agnideepak & Balya, Vatic disorders in relation to blood and blood vessels, tendons, soft tissue around the joint. Joint affections with stiffness. **Upastambhit Vatavikara, i.e. Vata diseases with obstructive pathology, Musculo-skeletal pain, Medovikara, Obesity, Sciatica.**
 E) **Dosage** : 2 to 3 Tablets 2 to 3 times in a day with warm water.

❖ **YOGARAJ GUGGUAL** ❖

- A) **Reference** : Yoga Ratnakar
 B) **Nature of Products** : 250 mg. Tablets
 C) **Ingredients** :
 Chitrak Ajamoda Vidanga
 Jirak Chavya Rasna
 Dhanyaka Bibheetaka Musta
 Maricha Saindhava Twak

- | | | |
|--------------------------------------|------------|-----------|
| Yavakshar | Gokshur | Swarjika |
| Danti | Hapusha | Shatavari |
| Pippalimool | Mishreya | Devadaru |
| Ela | Koshtha | Haritaki |
| Amalaki | Shunthi | Pippali |
| Usheer | Talispatra | Lavanga |
| Karchur | Guduchi | |
| Ashwagandha | Lohabhasma | Guggul |
| Processed in Triphala, Trikatu Quath | | |

- D) **Uses & Indications** : Agnideepak and Balya. Vatic disorders in relation to blood and blood vessels, tendons, soft tissue around the joint. **Joint affections with stiffness.**
 E) **Dosage** : 2 Tablets Thrice a day with warm water.

❖ **PANCHAMRUT PARPATI VATI** ❖

- A) **Reference** : Rasendra Sar Sangraha
 B) **Nature of Product** : 125 mg. Tablets
 C) **Ingredients** :
 Shu. Parad Gandhak Abhrak Bhasma
 Tamra Bhasma Loha Bhasma
 D) **Uses & Indications** : Diarrhoea, Sprue, Chronic Dysentery.
 E) **Dosage** : 1 to 2 Tablets 2 to 3 times in a day with ghee + sugar.

❖ **A. L. TABS** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Ashok Daruharidra Neel Kamal
 Amrabeej Vasa Lodhra
 Karchur Ela Vidang
 Ajamoda Chavak Priyangu
 Pooga Bharangi Tagar
 Chitrak Pippalimool Indrayava
 Nagkeshar Kutaj Tejapatra

Maricha Musta Triphala
Koshtha Patha
Processed with Ashok and Lodhra, Quath

- D) **Uses & Indications :**
Leucorrhoea, Menorrhagia (esp. puberty menorrhagia), Polycystic ovarian disease. Premenstrual tension. Dysmenorrhoea.
- E) **Dosage :** 2 Tablets thrice a day with warm water.

❖❖❖❖❖❖

❖ **AMEX (Amapachak Vati)** ❖

- A) **Reference :** Proprietary
B) **Nature of Product :** 250 mg. Tablets
C) **Ingredients :**
Haritaki Shunthi Maricha
Pippali Karaskar Shu. Gandhak
Hingu Saindhav
Triturated with Kumari Juice
- D) **Uses & Indications :**
Improves gastrointestinal secretions and motility, for indigestion, Gas trouble, spasmodic abdominal pain, **Sluggish function of digestive system in sedentary workers and executives. Enuresis.**
- E) **Dosage :** 2 Tab. 2 to 3 times in a day with warm water.

❖❖❖❖❖❖

❖ **ASANAD VATI** ❖

- A) **Reference :** Proprietary
B) **Nature of Product :** 250 mg. Tablets
C) **Ingredients :**
Ghanasar of following Herbs :
Saptaparni Asan Lodhra
Arjuna Karanja Khadir
Pooga Saga Indrayava
Shirisha Wala Mocharas
Palashabeej Jeetasaya Ghanasar

Shilajatu Meshashringi
Triturated with Kumari Juice

- D) **Uses & Indications :**
It helps to control blood sugar in Diabetic patients, Also control urine sugar, for associated problems in Diabetics. Delays degenerative processes esp. in Pittaprakruti diabetic patients. Best adjuvant to antidiabetic treatment.
- E) **Dosage :** 2 to 3 Tablet 3 times with warm water or According to Physician's Advice.

❖❖❖❖❖❖

❖ **ANAND BHAIKAV (Atisar)** ❖

- A) **Reference :** Bhaishajya Ratnavali
B) **Nature of Product :** 125 mg. Tablets
C) **Ingredients :**
Shu. Vatsanabha Maricha Pippali
Tankanlahi Shu. Hingul
- D) **Uses & Indications :**
Diarrhoea, Fever.
- E) **Dosage :** 1 to 2 Tablets 3 times a day with warm water.

❖❖❖❖❖❖

❖ **AROGYAVARDHINI** ❖

- A) **Reference :** Bharat Bhaishajya Ratnakar No. 448
B) **Nature of Product :** 250 mg. Tablets
C) **Ingredients :**
Samagandhakajjali Lohabhasma Abhrak bhasma
Tamra bhasma Triphala Shilajatu
Guggul Chitrak Katuka
Processed in Nimba Leaves.
- D) **Uses & Indications :**
Skin Diseases, Chronic Pyrexia, Oedema, Asso. Symp of 1 to 4 Anasarca, Obesity, Jaundice, Ascites, Liver Corrective.
- E) **Dosage :** 1 to 3 Tablet 2 to 3 times in a day with warm water.

❖ **ARSHA KUTHAR RASA** ❖

- A) **Reference** : Yogratnakar (Arsha Chikitsa)
 B) **Nature of Product** : 125 mg. Tablets
 C) **Ingredients** :
 Shuddha Parad Shuddha Gandhak Lohabhasma
 Abhrakbhasma Bilwa Majja Shunthi
 Maricha Pippali Haritaki
 Chitrak Danti Tankan
 Yavakshar Saindhav
 Processed with Cow's Urine and Snuhi.
 D) **Uses & Indications** : Asso. Symp. of Piles, Constipation, Anorexia.
 E) **Dosage** : 1 to 2 Tablet 2 Times with warm water or butter milk.



❖ **A. R. AVIPATTIKAR CHOORNA VATI** ❖

- A) **Reference** : Bhaishajya Ratnavali (Amlapitta)
 B) **Nature of Product** : 1 gm. Powder
 C) **Ingredients** :
 Shunthi Maricha Pippali
 Haritaki Bibheetak Amalaki
 Musta Bidam Vidanga
 Ela Tamalpatra Lavanga
 Trivruta Sharkara
 D) **Uses & Indications** :
 The best anulomak (laxative) in Hyperacidity patient. Helps to prevent nausea, vomiting, heart-burns, regurgitation of acid mixed food. **Headache and constipation in Hyperacidity patients.**
 E) **Dosage** : 1/2 to 1 Teaspoon 2 to 3 times with water before meal.

❖ **BAL GUTI VATI** ❖

- A) **Reference** : Proprietary
 B) **Nature of Products** : 125 mg. Tablets
 C) **Ingredients** :
 Shunthi Pippali Haritaki
 Bibheetaka Ativisha Awartani
 Akarkarabha Karkatshringi Vidanga
 Yasthimadhu Mandoor Bhasma Rasasindoor
 Kumkum
 Processed in Kumari Swaras
 D) **Uses & Indications** :
 Herbel formulation for infants and children. Improves digestion, Prevents infections. **Builds up immune system of a child.** Improves its perception. Health restorative.
 E) **Dosage** : 1/2 to 1 Tablet 1 to 2 times in a day with honey or milk.



❖ **BHOOT BHAIKAV RASA** ❖

- A) **Reference** : Bharat Bhaishajya Ratnakar 4959
 B) **Nature of Product** : 125 mg. Tablets
 C) **Ingredients** :
 Shuddha Patri Harital Shuddha Gandhak
 Amlika Karvellak
 Processed with Arkadugdha, Snuhi, Rakta Rohitaka
 D) **Uses & Indications** :
 Wet (weeping) Eczema with severe itching. **Severely infected foul smelling wounds. Psoriatic Arthritis.**
 E) **Dosage** : 1 Tablet 2 to 3 times with ghee or honey.



❖ **CALCIPRAL K TABLETS** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Shouktik Bhasma Kukutanda Twak Pishti

D) Uses & Indications :

Best source of natural calcium, Used in all types of calcium deficiency, in growing children, pregnancy, Lactation. Post menopausal age, old age, Prevents Hairfall.

E) Dosage : 2 to 3 Tablet twice or thrice a day with water or milk.

❖❖❖❖❖❖

❖ CALCIPRITE TABLETS ❖

A) Reference : Proprietary

B) Nature of Product : 250 mg. Tablets

C) Ingredients :
Shankha Bhasma Shouktik Bhasma Kapardik Bhasma
Praval Bhasma Triturated with Kumari Juice

D) Uses & Indications :

Hyperacidity and Associated Conditions, Sour Eructation, Heart Burn, Belching, Acid Indigestion.

E) Dosage : 2 to 3 Tablets twice or thrice a day with water or milk.

❖❖❖❖❖❖

❖ CHADRAKALA RASA ❖

A) Reference : Yoga Ratnakar

B) Nature of Product : 125 mg. Tablets

C) Ingredients :
Shu. Parad Shu. Gandhak Tamrabhasma
Abhrakbhasma Katuka Guduchisatwa
Parpat Usheer Sariva

Malatilata

Triturated with following :

Musta Durva Dadimtwak
Talamula Kurantaka Kumari
Parpat Ketaki Usheer
Shatavari Marubak Draksha

D) Uses & Indications :

Hyper Pyrexia (high fever), especially after any viral infection. Burning sensation anywhere in the body. **Hyperacidity with bitter vomiting.** Hemorrhagic diathesis during fever. Pitta aggravated conditions.

E) Dosage : 1 to 2 Tablets 2 to 3 times in a day with milk.

❖❖❖❖❖❖

❖ CHANDRAPRABHA VATI ❖

A) Reference : Sharangdhar Samhita

B) Nature of Product : 250 mg. Tablets

C) Ingredients :

Vidanga	Shunthi	Maricha
Pippali	Vacha	Pippalimool
Devdaru	Gajapippali	Ativisha
Musta	Haritaki	Bibheetak
Amalaki	Chavya	Chitrak
Karchur	Bhunimba	Haridra
Saindhav	Krishnalavan	Yavakshar
Suvarnamakshik	Bidlavana	Bhasma
Guduchi	Daruharidra	Dhanyaka
Sajjikshar	Twak	Ela
Tamalpatra	Trivruta	Danti
Vanshalochan	Lohabhasma	Khandasharkara
Shu. Shilajatu	Shu. Guggulu	

D) Uses & Indications :

Urinary disorders with infection. High blood sugar related problems. Hormonal disorders in females. **Sexual insufficiency and Inferility.** Obesity related complaints. **Removes toxic metabolites from the body.**

E) Dosage : 1 to 2 Tablets 2 to 3 times in a day with warm water.

❖ **CHARCOSAL (Vatanashak)** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Amalaki Mashī Tankan Bharjit Sajjikshar
 Hingu
 D) **Uses & Indications** :
 Flatulence, Dyspepsia, Indigestion, Nausea, Vomiting.
 E) **Dosage** : 2 Tablets twice or thrice a day with
 warm water.

❖ **COZENGES (Kasahar Vati)** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 250 mg. Chewable Tablets
 C) **Ingredients** :
 Khadir Karkatshringi Kayaphal
 Bharangi Haritaki Lavanga
 Shunthi Maricha Pippali
 Mishreya Guduchi Kantakari
 Bibheetak Yashitmadhu Dhanvayas
 Triturated with Yashtimadhu Quath
 D) **Uses & Indications** :
 Sour throat, Hoarseness of Voice, Pharyngitis, Dry Cough.
 E) **Dosage** : Chew Tablets every 2 hours.

❖ **FERRITE (Raktavardhak Vati)** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 125 mg. Tablets
 C) **Ingredients** :
 Shunthi Maricha Pippali
 Chitrak Haritaki Bibheetak
 Amalaki Vidanga Sharkara
 Roupabhasma Makshik Bhasma Lohabhasma
 Shilajatu

- D) **Uses & Indications** :
 Iron deficiency Anaemia, Specifically in Diabetic and Obese patients.
 E) **Dosage** : 1 to 2 Tablets 2 times in a day with
 milk or dadimavaleha.

❖ **GANDHAK RASAYAN (Bara Puti)** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Shuddha Gandhak
 Triturated with following :
 Godugdha Twak Tamalpatra
 Nagkeshar Ela Guduchi
 Haritaki Bibheetak Amalaki
 Shunthi Bhrungaraj Ardrak
 D) **Uses & Indications** :
 Sore throat, tonsillitis, superficial infections, infected wounds, skin diseases, chronic cough. Promotor of Strength (rasayan) and Aphrodisiac.
 E) **Dosage** : 1 to 2 Tablet 2 to 3 times in a day with
 milk.

❖ **GARBHA PAL RASA** ❖

- A) **Reference** : Ras Chandanshu
 B) **Nature of Product** : 125 mg. Tablets
 C) **Ingredients** :
 Hingul Nagbhasma Vangabhasma
 Tamalpatra Ela Twak
 Shunthi Maricha Pippali
 Dhanyaka Krishnajirak Chavya
 Draksha Devdaru Lohabhasma
 Processed in Vishnukranta
 D) **Uses & Indications** :
 Brings about balanced foetal growth. **Helps to prevent habitual abortions. Helps in intrauterine growth retardation of the foetus.** Therefore best tonic in difficult pregnancy.
 E) **Dosage** : 1 to 2 Tablets 2 to 3 times with
 ghee + sugar.

❖ **A. R. KAMADUDHA (Mouktikayukta)** ❖

- A) **Reference** : Rasayoga Sagar
 B) **Nature of Product** : 125 mg. Tablets
 C) **Ingredients** :
 Shu. Parad Shu. Gandhak Tamrabhasma
 Abhrakbhasma Shu. Suvarnagairika Guduchisatwa
 Kapardikabhasma Shankhabhasma Shouktikabhasma
 Mouktikapishiti Praval Bhasma
 Processed in Gulabjal
- D) **Uses & Indications** :
Acid peptic disease. Burning sensation all over body. **Best in Herpes Zoster with Suvarna Sootashekher.** Pitta aggravated conditions.
- E) **Dosage** : 1 to 2 Tablets 3 times a day with milk.



❖ **A. R. KAMADUDHA SADHA** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Suvarnagairika Guduchisatwa Kapardikabhasma
 Shankhabhasma Shouktikabhasma
 Processed in Gulabjal
- D) **Uses & Indications** :
 Natural antacid. **Hyperacidity.** Burning sensation in epigastrium, plams and soles. Pitta aggravated conditions.
- E) **Dosage** : 1 to 2 Tablets 2 to 3 times in a day with milk.



❖ **KRUMIMUDGAR RASA** ❖

- A) **Reference** : Yoga Ratnakar
 B) **Nature of Product** : 125 mg. Tablets
 C) **Ingredients** :
 Shuddha Para Shuddha Gadhak Kajjali
 Ajamoda Vidanga Shuddha Karaskar
 Palashbeej Processed in Musta Quath

- D) **Uses & Indications** :
Round worm and thread worm infestation. Worm related suymptoms like anorexia, anaemia loss of weight, intestinal colic.
Fissure in Ano.
- E) **Dosage** : 1 to 2 Tablets 2 to 3 times in a day with water.



❖ **KURCHICO (Kudakalpa)** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Vidanga Shunthi Pippali
 Haritaki Bibhitaka Vacha
 Guduchi Bhallataka Ahiphen
 Tankan Jatiphal Shankhabhasma
 Kutajtwak Chitrak Shuddha Vatsanabha
 Processed with Khaskhas Beej & Gomutra
- D) **Uses & Indications** :
Severe uncontrolled watery loose motions. Severe dysentery, sprue.
- E) **Dosage** : 1 to 2 Tablets 3 to 4 times with warm water or as per requirement.



❖ **KUTAJ PARPATI VATI** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Kutaj Rasaparpati Shankhabhasma
 Triturated with Kuda Quath
- D) **Uses & Indications** :
 Acute and Chronic diarrhoea. **Acute and Chronic, Amoebic dysentery,** colitis.
- E) **Dosage** : 1 to 2 Tablets 3 to 4 times with warm water.

❖ **LAGHUSOOTASHEKHAR** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Shunthi Suvarna Gairika
 Processed with Nagwelpatra Ras
 D) **Uses & Indications** :
 Anorexia, **Acidity induced headache. Allergic Rhinitis,**
 Allergic rash. **Paittik Hridrog.**
 E) **Dosage** : 1 to 2 Tablets 2 to 3 times in a day with
 water.



❖ **LASHUNADI VATI** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Rason Shunthi Maricha
 Pippali Hingu Saindhav
 Shuddha Gandhak Processed in Jambir Ras
 D) **Uses & Indications** :
 Indigestion, Flatulence, Abdominal Discomfort, **Vatic Hridrog,**
 Asthma, Deyslipidimia.
 E) **Dosage** : 1 to 2 Tablets 3 times in a day with
 warm water.



❖ **LIV. COM TABLETS** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Haritaki Chavak Chitrak
 Karkatshrungi Bibheetak Vasa
 Gokshur Punarnava Kantakari
 Guduchi Processed with Kumari
 D) **Uses & Indications** :
 Preventive and Curative in Liver Disorders, **Viral hepatitis,**
Toxic (alcoholioic), hepatitis. Drug induced Liver toxicity,
 Ascitis, Chronic bronchitis.
 E) **Dosage** : 2 Tablets thrice a day.

❖ **MADHU MALINI VASANT** ❖

- A) **Reference** : Rasa Yog Sagar
 B) **Nature of Product** : 125 mg. Tablets
 C) **Ingredients** :
 Hingul Karchur Maricha Sweta
 Priyangu Maricha Krushna Kukkuta Anda
 Processed in Dadim Juice
 D) **Uses & Indications** :
Chronic respiratory problems, Chronic fever. Adjuvant drug
 in Tuberculosis, for weight gain, vigour and vitality. **Useful for**
foetal growth (In I. U. G. R.).
 E) **Dosage** : 1 to 2 Tablets 2 to 3 times with honey.



❖ **PARIJATAK GUTI** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Tribhuvankirti Maricha Prajakta Patra
 D) **Uses & Indications** :
 Viral fevers, **fever with chills.** Cold, Cough and fever in rainy
 and winter season. **Malaria like fever.**
 E) **Dosage** : 2 to 3 Tablets 2 to 3 times with honey
 or warm water.



❖ **A. R. PITTASHAMAK VATI** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Sootashekhar Shu. Gairik Shankhabhasma
 Triturated with Ringani, Vasa, Guduchi
 D) **Uses & Indications** :
 Hyperacidity with Vomitting, Heartburns, Headache, Vertigo,
 Hyperemesis Gravidarum.
 E) **Dosage** : 1 to 2 Tablets twice or thrice a day
 with milk or lime juice with sugar.

❖ **PRASHAM TABS** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 250 gm. Tablets
 C) **Ingredients** :
 Vacha Pippalimool Parasac Yavani
 Tagar Bramhi Ashwagandha
 Processed with Shankhapushpi
 D) **Uses & Indications** :
Nonhabbit forming tranquilizer, Induces natural sleep.
 Anxiolytic, Memory enhancer, **Supportive medicine in hypertension.**
 E) **Dosage** : 2 Tabs. Twice a day with water or milk.

❖ **RASAGANDHA VATI** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 250 gm. Tablets
 C) **Ingredients** :
 Sootshekharsadha Jatamansi Dhamsa
 Triturated with Anant Mool Quath
 D) **Uses & Indications** :
Irritability, Insomnia, Restlessness, Hypertension.
 E) **Dosage** : 2 Tablets twice or thrice a day with milk or water.

❖ **SANJEEVANI GUTI** ❖

(for Amatisar)

- A) **Reference** : Sharangdhar Samhita
 B) **Nature of Product** : 125 mg. Tablets
 C) **Ingredients** :
 Vidanga Shunthi Pippali
 Haritaki Amalaki Bibheetak
 Vacha Guduchi Bhallataka
 Shuddha Vatsanabha Processed in Gomutra
 D) **Uses & Indications** :
 Watery diarrhoea, dysentery. **Best given with Kutaj Parpati. Best intestinal antiseptic.**
 E) **Dosage** : 1 to 2 Tablets 2 to 3 times in a day with warm water.

❖ **SHANKHA VATI** ❖

- A) **Reference** : Bhaishajya Ratnavali
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Saindhav Krishnalavana Vid Lavan
 Sambhar Lavan Samudralavan Hingu
 Shunthi Pippali Maricha
 Shankhabhasma Shuddha Vatsanabha Kajjali
 Chinchakshar
 Processed with Apamarga Quath, Chitrak, Nimbuk
 D) **Uses & Indications** :
 Indigestion, Abdominal Distension. Carminative.
 Abdominal Pain because of Adhaman, Anah and Ajeerna.
 E) **Dosage** : 1 to 2 Tablets 2 to 3 times a day with warm water or lemon juice.

❖ **SHAKHABHASMA VATI** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Shankhabhasma
 D) **Uses & Indications** :
 Acid peptic disease, **Acid gastritis**, Vomitting due to acidity.
 Acne vulgaris.
 E) **Dosage** : 2 Tablets 2 to 3 times in a day with warm water.

❖ **SHANKHODAR** ❖

- A) **Reference** : Yoga Ratnakar
 B) **Nature of Product** : 125 mg. Tablets
 C) **Ingredients** :
 Shankhabhasma Ahiphen Jatiphal
 Tankan Lani Processed in Khaskhas Quath
 D) **Uses & Indications** :
 Severe uncontrolled diarrhoea. **Cholera like loose motions.**
 E) **Dosage** : 1 to 2 Tablets 3 times in a day with honey or warm water.

❖ **SOOKSHMA TRIPHALA VATI** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Triphala Kajjali
 D) **Uses & Indications** :
Follicular tonsillitis, Spetic tonsillitis. Uvulitis, Stomatitis, Stye formation, Painful caries tooth, Conjunctavitis, Necrotizing fascitis. Best use when combined with Gandhak Rasayan.
 E) **Dosage** : 1 to 2 Tablets twice or thrice a day with water.

❖ **SOOTASHEKHAR SADHA** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 125 Tablets
 C) **Ingredients** :
 Shuddha Parad Shuddha Vatsanabha Tankan
 Shunthi Maricha Pippali
 Shuddha Dhaturbeej Shuddha Gandhak Tamrabhasma
 Twak Tamalpatra Nagkeshar
 Ela Shankhabhasma Bilvamajja Karchur
 Processed in Bhrungaraj
 D) **Uses & Indications** :
 Hyperacidity, Acid belching, **Inflammatory conditions of skin and mucus membrane.** Best use when **trituated with Praval Bhasam.**
 E) **Dosage** : 1 to 2 Tablets 2 to 3 times in a day with milk or ginger juice.

❖ **SUKHA SARAK VATI** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 500 mg. Tablets
 C) **Ingredients** :
 Sukhasarak Churna
 D) **Uses & Indications** :
 Mild Laxative, Useful in Chronic constipation. **Gives relief from Gases and Acidity.**
 E) **Dosage** : 1 to 2 Tablets with warm water.

❖ **TAPYADI LOHA VATI (Roupya Yukta)** ❖

- A) **Reference** : Proprietary
 B) **Nature of Products** : 250 mg. Tablets
 C) **Ingredients** :
 Trikatu Triphala Chitrak
 Shankhbhasma Shouktikabhasma Shilajatu
 Lohabhasma Vidanga Ashwagandha
 Shatavari Vidari Yastimadhu
 Roupyabhasma Vangabhasma
 Suvarnamakshik Bhasma
 Trituated with Shatavari, Bhuikohala Quath
 D) **Uses & Indications** :
 Anaemia, Fatigue, Nervine tonic. Hepatotonic, Health restorative.
In nonspecific epilepsy with Triphala Ghrut.
 E) **Dosage** : 1 to 2 Tablet 2 to 3 times in a day with milk or ghee + sugar.

❖ **T. K. TABS** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Shuddha Hingul Shuddha Vatsanabha Shunthi
 Maricha Pippali Tankan
 Pippalimool Parasika Yavani
 Trituated with Tulasi Swarnakshiri and Ardrak Juice
 D) **Uses & Indications** :
 Vat-kaphaj Jwar with Kaphapradhanya, **Fever with Bodyache,** Coryza, Headache.
 E) **Dosage** : 1 to 2 Tablets 2 times in a day with warm water.

❖ **THIOSTANIN (Raktashodhak Vati)** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Shuddha Gandhak Vangabhasma Kajjali
 Loha Bhasma Abhrak Bhasma Tamra Bhasma
 Triphala Shuddha Shilajeet Guggul
 Chitrak Katuka
 Triturated with Nimba, Guduchi, Triphala & Bhrungaraj
 D) **Uses & Indication** :
 Acne, Boils, Infected Eczema, Psoriasis, Itching, Pruritus.
 E) **Dosage** : 2 Tabs. twice or thrice a day with milk.



❖ **TRIBHUVAN KIRTI** ❖

- A) **Reference** : Yoga Ratnakar
 B) **Nature of Product** : 125 mg. Tablets
 C) **Ingredients** :
 Shuddha Hingool Shuddha Vatsanabha Shunthi
 Maricha Pippali Tankan
 Pippalimool Processed in Tulsi Swarnakshiri, Ardraka
 D) **Uses & Indications** :
 Common cold, cough, fever. **Early remedy in all viral fevers.**
 Infuenza.
 E) **Dosage** : 2 to 3 Tablets 2 to 3 times in a day with
 ardrak juice or warm water.



❖ **TRIPHALA TABS** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Haritaki Bibheetak Amalaki
 D) **Uses & Indication** :
 Mild laxative, Responsible for strengthening of eye in respect of
 eyesight, after ophthalmic diseases given with pure ghee and honey.
**Helps to promote detoxication of blood and helps to ease
 skin diseases.**
 E) **Dosage** : 2 to 3 gm. Powder with warm water,
 honey or ghee at bed time.

❖ **A. R. VARUNADI KASHAYA GHANAVATI** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 250 mg. Tablets
 C) **Ingredients** :
 Varunghanasar Shunthighanasar Gokshurghanasar
 Pashanbhed Ghanasar
 D) **Uses & Indications** :
 Burning micturition, Crystalluria, Chronic Cystitis.
 Breaks and Expells passable, Urinary Calculi, Helps in B. P. H.
 obseity.
 E) **Dosage** : 2 Tablets 3 times a day.



❖ **VAT VIDHWANSA RASA** ❖

- A) **Reference** : Yog Ratnakar
 B) **Nature of Products** : 125 mg. Tablets
 C) **Ingredients** :
 Shuddha Parad Shuddha Gandhak Nagbhasma
 Lohabhasma Vangabhasma Tamrabhasma
 Shunthi Maricha Pippali
 Tankan Abhrakbhasma Shuddha Vatsanabha
 Processed with following :
 Triphala, Chitrak, Nirgundi, Koshtha, Ardrak, Bhumi, Amalaki,
 Nimbuka, Bhrungaraja, Arka, Akarkarabha, Trikatu
 D) **Uses & Indications** :
 Acts on Mansa, Meda, Asthi Majja Dhatu, **Musculoseletal Pain,**
Neuralgic pain, Arthritis with Samata.
 E) **Dosage** : 1 to 2 Tablets 3 times in a day with
 honey or warm water.



❖ **BRUHATVAT CHITAMANI RAS** ❖

- A) **Reference** : Bhaishajya Ratnawali 484 - Vatavyadhi
 B) **Nature of Product** : 125 mg. Tablets
 C) **Ingredients** :
 Suvarnabhasma Ropyabhasma Abhrakbhasma
 Lohabhasma Mouktika Bhasma Rasasindoor
 Praval Pisthi Processed/Triturated in Kumari Swaras

- D) **Uses & Indications** :
Very much useful in Siragat vata Roga like **G. B. Syndrome, Infective polyneuritis**. Degenerative conditions of nervous system. **Ischemic heart disease**, Chronic bronchitis.
- E) **Dosage** : 1 Tablet 2 times a day with milk.

❖❖❖❖❖❖

❖ CHITAMANI CHATURMUKH RASA ❖

- A) **Reference** : Rasa Yoga Sagar
- B) **Nature of Product** : 125 mg. Tablets
- C) **Ingredients** :
Shuddha Parad Shuddha Gandhak Lohabhasma
Abhrakbhasma Suvarna Bhasma
Processed with Triphala Kumari, Brahmi, Tulasi
- D) **Uses & Indications** :
Recurrent upper and lower respiratory problems, Anaemia, Breathlessness. Useful in convalescence period. **Strengthens the heart.**
- E) **Dosage** : 1 Tablet 2 times in a day with honey.

❖❖❖❖❖❖

❖ FORTEX (FORTIFIED) ❖

- A) **Reference** : Proprietary
- B) **Nature of Product** : 250 mg. Tablets
- C) **Ingredients** :
Ashwagandha Vangabhasma Karaskar
Karpoor Kumkum Jatiphal
Lavanga Jatipatri Akarkarabha
Ela Tamrabhasma Suvarna Bhasma
Rasasindoor Shilajatu
Triturated with Bastanda, Talimkhana and Ashwagandha
- D) **Uses & Indications** :
Best **Aphrodisiac**, Increases sexual **vigour** and **capacity to stay on**. Useful in functional impotence and weakness after sex. **Best Geriatric tonic.**
- E) **Dosage** : 1 Tablet thrice a day with milk.

❖ A. R. GOLD COMPOUND (Suvarna Kalpa) TABLET ❖

- A) **Reference** : Proprietary
- B) **Nature of Product** : 125 mg. Tablets
- C) **Ingredients** :
Suvarna Malini Vasant Suvarna Bhasma Nishchandra
Abhrak Bhasma Shankhabhasma
- D) **Uses & Indications** :
Rejuvenating medicine, Dhatukshaya Janya Vikar, Complaints due to excessive sexual activities, **Degenerative diseases like Osteoarthritis. Gives strength to heart.** Tonic in Chronic diseases.
- E) **Dosage** : 1 Tablet 1 to 3 times in a day with milk.

❖❖❖❖❖❖

❖ KUMBHAJATU (Medahar Vati) ❖

- A) **Reference** : Proprietary
- B) **Nature of Product** : 250 mg. Tablets
- C) **Ingredients** :
Lodhra Jatamansi Shilajatu
Loha Bhasma Kumbha Suvarna Sootashekhar
Triturated with Kumbha Twak
- D) **Uses & Indications** :
Hyperlipidemia, Obesity, **Improves Metabdisim in fatty individuals** and helps to minimise obesity associated disorders.
- E) **Dosage** : 2 to 3 Tablets twice or thrice a day.

❖❖❖❖❖❖

❖ MAHALAKSHMI VILAS RASA ❖

- A) **Reference** : Yogratnakar
- B) **Nature of Product** : 125 mg. Tablets
- C) **Ingredients** :
Suvarna Bhasma Roupya Bhasma Abhrak Bhasma
Tamra Bhasma Kantaloha Bhasma Vanga Bhasma
Mandoor Bhasma Tikshnaloha Bhasma Mouktika Pishti
Nag Bhasma Shuddhavatsanabha Rasasindoor
Processed with Madhu and Chitrak

D) Uses & Indications :

Adjuvant drug in the treatment of Pulmonary and Extra Pulmonary Tuberculosis, Difficult and incurable Heart and Lung disease giving rise to Breathlessness and Cough, OLIGOSPERMIA AND AZOOSPERMIA, In all kashtasdy and Asadya avastha of Vatavyadhis.

E) Dosage : 1 Tablet 2 to 3 times with honey or milk.

❖♦♦♦♦❖

❖ MAKARDHWAJ VATI ❖

- A) Reference :** Proprietary
B) Nature of Product : 125 mg. Tablets
C) Ingredients :
Makardhwaj Suvarnabhasma Dugdha Sharkara

D) Uses & Indications :

Sexual debility. Erectile dysfunction. Provides strength and vigour. Useful in psychological or post illness fatigue of the brain.

E) Dosage : 1 to 2 Tablets twice in a day with honey.

❖♦♦♦♦❖

❖ RASARAJ RASA ❖

- A) Reference :** Bhaishajya Ratnavali
B) Nature of Product : 125 mg. Tablets
C) Ingredients :
Rasasindoor Abhrak Bhasma Suvarna Bhasma
Loha Bhasma Roupya Bhasma Vanga Bhasma
Ashwagandha Lavanga Jatipatri
Ksheerkakoli Processed with Kumari and Kakmachi

D) Uses & Indications :

Neuropathy, **Kampavat, Parkinson** like conditions. Ptosis, Fascial paralysis, **Degenerative neuronal conditions.**

E) Dosage : 1 Tab twice a day to be taken with milk or honey.

❖ SUVARNA MALINI VASANT ❖

- A) Reference :** Yoga Ratnakar
B) Nature of Product : 125 mg. Tablets
C) Ingredients :
Suvarnabhasma Mouktikbhasma Hingul Shudha
Maricha Snwet Kalkhapari
Triturated with Navneeta, Nimbukswaras

D) Uses & Indications :

Chronic cough and low grade fever due to respiratory diseases especially **tuberculosis**. Good rejuvenating and strength giving medicine for respiratory system. Useful in pregnancy **for foetal growth and supportive to mother**. Low body weight and weakness due to colitis.

E) Dosage : 1 Tablet 2 to 3 times in a day with milk.

❖♦♦♦♦❖

❖ SUVARNA SOOTASHEKAR MATRA ❖

- A) Reference :** Proprietary
B) Nature of Product : 1 gm. Matra (Big Tablet)
C) Ingredients :
Sadha Sootashekhar Suvarna Bhasma

D) Uses & Indications :

Hyperacidity. Burning pain in Epigastric region, Buring hands, feet and eyes due to amlapitta. All other ailments caused by aggravated pitta.

E) Dosage : Rub matra with milk 8 to 10 rounds and take this mixture with milk.

❖♦♦♦♦❖

❖ SUVARNA SOOTASHEKAR VATI ❖

- A) Reference :** Proprietary
B) Nature of Product : 125 mg. Tablets
C) Ingredients :
Sadha Sootashekhar Suvarna Bhasma

- D) **Uses & Indications :**
Acid peptic disease. Acute and chronic inflammatory conditions due to different pus producing micro-organisms. Herpes zoster with burning pain. Pittavikara in General.
- E) **Dosage :** 1 Tablet 2 to 3 times in a day with milk.

❖❖❖❖❖❖

❖ VASANT KUSUMAKAR RAS ❖

- A) **Reference :** Proprietary
- B) **Nature of Products :** 125 mg. Tablets
- C) **Ingredients :**
 Suvarnabhasma Roupayabhasma Rasasindoor
 Mouktikbhasma Abhrakabhasma Lohabhasma
 Nagabhasma Vangabhasma Praval (Chandraputi)
 Triturated/Processed in Vasa, Wala, Ikshu, Kadali Kanda, Haridra, Nilkamal, Malatipushpa, Dugdha
- D) **Uses & Indications :**
 The best Geriatric tonic. **Helps reduce side effects of Diabetes mellitus.** Aphrodisiac, Rejuvenator, for Longevity (**Long and strengthful healthy life**). Useful in Acid peptic disease when taken with Sugar and Chandan choorna. **Also useful in low grade pyrexia of unknown origine.**
- E) **Dosage :** 1 Tablet 2 to 3 times in a day with milk.

❖❖❖❖❖❖

❖ YOGENDRA RASA ❖

- A) **Reference :** Bhaishajya Ratnavali
- B) **Nature of Products :** Tablets
- C) **Ingredients :**
 Rasa Sindoor Suvarnabhasma Kantalohabhasma
 Abhrakbhasma Mouktik Pishti Vanga Bhasma
 Processed with Kumari Swarasa
- D) **Uses & Indications :**
Ischemic heart disease. Chronic blood vessel disorders. Epilepsy, Paralysis, Phthisis.
- E) **Dosage :** 1 Tab 2 to 3 times a day.

❖ BAVACHI LEP GOLI ❖

- A) **Reference :** Proprietary
- B) **Nature of Product :** Large Tablet for Rubbing and for Making Paste (External Application)
- C) **Ingredients :**
 Bakuchi Triturated with Gomutra
- D) **Uses & Indications :**
 White patches on skin, Leucoderma.
- E) **Dosage :** Rub with Water or Cow's Urine-Prepare Paste and Apply on Affected Area (Externally).

❖❖❖❖❖❖

❖ LEPGOLI ❖

(For External Use Only)

- A) **Reference :** Proprietary
- B) **Nature of Product :** Big Tablets (for Topically Use)
- C) **Ingredients :**
 Punarnava Lodhra Chitrak
 Shunthi Haridra Guggul
 Triturated with Triphala and Gomutra
- D) **Uses & Indications :**
 Acute inflammation of skin, Traumatic pain with oedema, Joint inflammation muscle pain, Apply its warm paste locally.
- E) **Dosage :** Apply 2 to 3 times externally (rub tablet with water and make paste).

❖❖❖❖❖❖

❖ PADADARI MALAM ❖

(For External Use Only)

- A) **Reference :** Proprietary
- B) **Nature of Product :** Ointment
- C) **Ingredients :**
 Tankanlahi Kalkhapari Sarjaras
 Narikel Taila Vaseline Base
- D) **Uses & Indications :**
 For dryness & cracks on soles & plams with soothing and healing property.
- E) **Dosage :** Apply on affected area 2 to 3 times in a day.

❖ **SHATAVARI KALPA** ❖

- A) **Reference** : Proprietary
 B) **Nature of Product** : 10 gm. Granules
 C) **Ingredients** :
 Shatavari Ela Kumkum
 Sharkara
 D) **Uses & Indications** :
 Tonic for Pregnancy and Puerperial Period. Galactagogue, Alleviates Hyperacidity, Antenatal Supplement, General Tonic in Debility.
 E) **Dosage** : 1 to 2 Teaspoon 1 to 2 times with water or milk.



❖ **ANU TEL** ❖

(By Nasal Route)

- A) **Reference** : Ashtanga Hrudaya
 B) **Nature of Product** : 10 ml. Medicated Oil
 C) **Ingredients** :
 Jivanti Devdaru Twak
 Anantmool Daru Haridra Yashtimadhu
 Kamal Nilotapal Bruhati
 Shaliparni Vidanga Nagakeshar
 Usheer Laghu Musta Balak
 Wala Talispatra Musta
 Triphala Bilva Kantakari
 Rasna Prushniparni Tamalpatra
 Renuka Padmakeshar Ela
 Til Tel Base Doogdha
 D) **Uses & Indications** :
Chronic & recurrent cold with predominant sneezing & headache. early graying and hair fall. Improves function of special senses, Used in cervical spondylosis and frozen shoulder for Nasya.
 E) **Dosage** : 2 Drops in each nostril two times.

❖ **BALA TEL** ❖

(Massage Oil)

- A) **Reference** : Proprietary
 B) **Nature of Product** : 10 ml. Medicated Oil
 C) **Ingredients** :
 Balamool Bala Choorna Til Tail

- D) **Uses & Indications** :
 Nurishes tissues. Useful in musculoskeletal, neuromuscular diseases and degenerative diseases of peripheral nerves. Used in Basti.
 E) **Dosage** : External application as a massage 2/3 times in a day.



❖ **CHANDANBALA LAKSHADI TEL (Special)** ❖

(Massage Oil)

- A) **Reference** : Proprietary
 B) **Nature of Product** : 10 ml. Medicated Oil
 C) **Ingredients** :
 Balamool Bala Choorna Chandan
 Balamool Laksha Yashtimadhu
 Ketaki Anantamool Ela
 Mishreya Usheer Devadaru
 Koshtha Agaru Musta
 Champaka
 D) **Uses & Indications** :
 To strengthen the muscles, tendons and joints. Useful in children for regular massage. Shirodhara for hairfall.
 E) **Dosage** : For massage two times in a day.



❖ **KSHIR BALA TEL** ❖

(For Beautiful Lustorns Skin)

- A) **Reference** : Ashtang Hriday Vatarakta Chikista
 B) **Nature of Product** : 10 ml. Medicated Oil
 C) **Ingredients** :
 Bala Kashaya Til Tel Dugdha
 Bala Kalka
 D) **Uses & Indications** :
 External application in the form of massage. Soft nourishing oil for skin, muscles and bones, osteoporosis, osteoarthritis, degenerative disease of spine. Shirodhara to strengthen brain function.
 E) **Dosage** : External use. Only for massage 2/3 times in a day.

❖ **MADHAVI TAIL** ❖

(For External Use Only)

- A) **Reference** : Proprietary
B) **Nature of Product** : 10 ml. Medicated Oil
C) **Ingredients** :
Bhrungaraj Haritaki Amalaki
Bibheetak Sariva Mandoor
Priyangu Shathi
D) **Uses & Indications** :
Best hair tonic, For long silky & thick hair, black hair.
Induces natural sleep after massage for hair fall, **best use with Calcipral K Orally.**
E) **Dosage** : Massage oil on hair and at the root of hair two times in a day.

❖ **A. R. NARAYAN TEL** ❖

(Massage Oil - For External & Internal Use Only)

- A) **Reference** : Proprietary
B) **Nature of Product** : 10 ml. Medicated Oil
C) **Ingredients** :
Ashwagandha Balamool Bilwamool
Kantakari Patala Bruhati
Gokshur Nimba Tintuk
Punarnava Prasarini Agnimantha
Koshtha Moorva Vacha
Jatamansi Saindhava Ashwagandha
Balmool Rasna Deodaru
Shaliparni Prushniparni Tagar
Shatavari Base Til Tel Wala
D) **Uses & Indications** :
For external application in case of joint pains. Lumbago, sciatica, spondylosis, backache, muscle spasm. **For oleation along with Saindhav to chest wall and back in Bronchial Asthama.**
E) **Dosage** : For massage two times a day.

❖ **NIRGUNDI TEL** ❖

(For External Use Only)

- A) **Reference** : Bharat Bhaishajya Ratnakar 3513
B) **Nature of Product** : 10 ml. Medicated Oil
C) **Ingredients** :
Nirgundi Swaras Til Tail
D) **Uses & Indications** :
For musculo-skeletal pain, sciatica, Infected wounds, sinuses, bed sores, Itching of the skin.
E) **Dosage** : Local application as required.

❖ **PARIBHADRA TEL** ❖

(Kadunimb Tail)

- A) **Reference** : Proprietary
B) **Nature of Product** : 10 ml. Medicated Oil
C) **Ingredients** :
Nimb Base Sesame Oil
D) **Uses & Indications** :
Used to dress deep healing wound. Itching and Urticaria, Eczema, Psoriasis and Dandruf. **Useful for vaginal application in Pruritus Vulvae.**
E) **Dosage** : Apply 2-3 times in a day.

❖ **SAHACHAR TEL** ❖

(Dental Oil)

- A) **Reference** : Bharat Bhaishajya Ratnakar
B) **Nature of Product** : 10 ml. Medicated Oil
C) **Ingredients** :
Sahachar Sariva Khadir
Irimeda Jambultwak Amratwak
Yashtimadhu Nilotpal Til Tail
D) **Uses & Indications** :
Strengthens teeth & gums, for dental hygiene and bleeding gums, toothache, cariestooth.
E) **Dosage** : 20 to 40 ml. for gargaling and local application.

❖ **VACHA TEL** ❖

(By Nasal Route)

- A) **Reference** : Proprietary
B) **Nature of Product** : 10 ml. Medicated Oil
C) **Ingredients** :
Vacha Base Til Tel Dugdha
D) **Uses & Indications** :
Rhinitis, Chronic Sinusitis, Headache, Heaviness of head, Stuffy nose.
E) **Dosage** : 2 drops in each nostril 2 times (as nasya) (nasal drops).



❖ **VISHAGARBHA TEL** ❖

(For External Use Only)

- A) **Reference** : Proprietary
B) **Nature of Product** : 10 ml. Ayurvedic Medicated Oil
C) **Ingredients** :
Dhattur Arka Karveer
Nirgundi Kulatha Kanji Koshtha
Kalihari Rasna Danti
Jatamansi Vacha Chitrak
Haridra Laksha Triphala
Lajjalu Erandmool Base-Sarshaptel
D) **Uses & Indications** :
For severe muscular and joint pains, rheumatic pain, lumbago. Useful in Kaphaprakriti patients, **contraindicated in pittaprakriti and delicate patients.**
E) **Dosage** : 2 to 3 times daily for external massage on affected area.

❖ **VRANASHODHAK TEL** ❖

(For Local Application)

- A) **Reference** : Proprietary
B) **Nature of Product** : 10 ml. Medicated Oil
C) **Ingredients** :
Nirgundi Ras Karveer Ras Nimb Ras
Dhattur Ras Haritaki Quatha Base-Karanj Tel
D) **Uses & Indications** :
All types of infected wounds including bed sores. Also for dandruff, itching dermatitis, infected scabies.
E) **Dosage** : Apply on wound 2 times a day.



❖ **VRANAROPAK TEL** ❖

(For External Use Only)

- A) **Reference** : Proprietary
B) **Nature of Product** : 10 ml. Medicated Oil
C) **Ingredients** :
Triphala Haridra Nimb
Bhunimba Wala Base Til Tel
D) **Uses & Indications** :
Best in wounds for rapid healing. Dry skin, itching of Skin, Psoriasis, **for vulvovaginal application after delivery and in cervical erosions.**
E) **Dosage** : Apply on skin 2 to 3 times a day.

Anorexia :

Hingashtaka Choorna
Drakshasava
Sitopaladi Choorna

Indigestion :

Lashunadi Vati
Sanjivani Vati
Hingashtaka Choorna
Arogyawardhini
Shankha Vati

Diarrhoea :

Kurchico
Sanjivani Vati
Kutajparpati Vati
Panchamritparpati Vati
Kutajarishta
Calciprite

Tympanites :

Shankhavati
Dashmoolarishta
Hyper Acidity :
Pittashamak Vati
Sootashekher Sadha
Avipattikar Choorna
Shankhabhasma Vati
Kamadudha Sadha
Suvarna Sootashekhar

Bhunimbadiqwath
Kamadudha Mouktikyukta

Liver Corrective :

Arogyawardhini
Bhunimbadiqwath
Kumari Kalpa

Hair Loss :

Madhavi Taila
Calciprite
Shatavari Kalpa

Worms :

Krumimudgar Rasa
Vidangarishta
Wormol
Krumikuthar

Cough :

Tribhuvankirti
Cozenges
Kantakari Kalpa
Vasosin
Sitopaladi Choorna
Kumari Kalpa
Drakshasava Sp.
Whooping Cough Mixture
Vasosin Cough
Lozenges

Pregnancy :

Garbhupal Rasa
Ferrite
Shatavari Kapla
A. R. Raktawardhak Avaleha

Pyrexia :

Tribhuvankirti Tabs
Parijatakvati
Amrutarishta
Mahasudershankwath
Chandrakala Vati
Suvarnamalini Vasant

Acne :

Sookshma Triphala
Mahamanjishthadi Kadha
Sarivadyasava
Shankhabhasma Vati

Skin Diseases :

Arogyawardhini
Thiostanin
Mahamanjishthadi Kadha
Khadirarishta
Sarivadyasava
Gandhak Rasayan (Baraputi)
Utane Choorna

Dental Care :

Sookshma Triphala
Triphala Guggul
Rasadanti Choorna
Triphala Choorna

Ch. Bronchitis :

Abhraka Bhasma
Vasosin
Sitopaladi Choorna
Kanakasava
Kantakari Kalpa
Kumari Kalpa
Bhallatakasava
Narayan Taila
Swaschintamani Tabs

Burning Sensation :

Chandrakala
Sitopaladi Choorna
Soota Shekhar

Coryza :

Tribhuvankirti Tabs
Sookshma Triphala Tabs
Anu Taila
Vacha Taila
Parijatak Vati
T. K. Tabs

Anaemia :

A. R. Raktawardhak Avaleha
Tapyadilohavati
Shatavari Kalpa
Lohasava
Kumari Kalpa
Ferrite

Cracks :

Padadari Malam

Abdominal Pain :

Amex
Shankhavati
Lashunadi Vati

Charcosal

Panchacolasava
Hingashtaka Choorna

Tonics :

Shatavari Kalpa
Chyavanprash Avaleha
A. R. Raktawardhak Avaleha
Suvarnamalini Vasant
Gold Compound

Ashwagandharishta

Child Care :

Balguti
Calcipral K Tabs.
Shatavari Kalpa
Arvindasava
A. R. Raktawardhak Avaleha
Chandanbala Lakshadi Taila
Baljeevan

Excess Blood Sugar :

Asanad Vati
Vasant Kusumakar Ras
Trivanga Bhasma
Gokshuradi Guggul

Constipation :

Sukhasarak Choorna
Triphala Choorna
Abhayarishta
Triphala Tabs
Sukhasarak Vati
Gandharva Haritaki
Choorna

Associated Signs and Symptoms
of Psychological

Disorders :

Prasham (Medhamrut)
Brahmi Prash
Saraswatarishta
Prasham Tabs

Associated Signs and Symptoms of Piles :

Abhayarishta
Gandharva Haritaki Choorna
A. L. Tabs

Urinary Disorders :

Gokshuradi Guggul
Varunadi Quath
Punarnavasava
Chandraprabha
Varunadi Kashayaghan Vati
Punarnavaguggul
Arvindasava
Chandanasava

Associated Signs and Symptoms of High Blood Pressure :

Sootashekher Sadha
Rasagandha
Suvarna Sootashekher Matra
Prasham (Medhamriut)
Prasham Tabs

Associated Signs and Symptoms of Nervous Disorders :

Vatavidhwansa Ras
Mahayogaraj Guggul
Yogaraj Guggul
Maharasnadi Kwath
Dashmoolarishta
Ashwagandharishta Sp.
Narayan Taila
Chandanbala Lakshadi Taila Sp.

Arthritis :

Yogaraj Guggul
Sinhanad Guggul
Triphala Guggul
Maharasnadi Kwath

Dashmoolarishta (Kasturivirahit)

Vishagarbha Taila

Narayan Taila

Lep Goli

Amrutadi Guggul

Vrushya :

Makardhwaj Vati

Fortex Fortified

Trivanga Bhasma

Gynecological Disorders :

Chandraprabha Tabs

Tapyadiloha Vati

A. L. Tabs

Ashokarishta

Lodhrasava

Associated Signs & Symptoms of Heart Diseases :

Gold Compound

Brihatvata Chintamani

Arjunarishta

Laghusootshekhar

Yogendra Rasa